Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S94	1	345/30.ccls. and "dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:31
L36	1	345/30.ccls. and "dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 14:31
L35	56	348/245.ccls. and (light or illuminat$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/07 13:53
L33	60	348/245.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/07 13:53
S87	21	"dummy electrode" near7 (disconnect$3 or detach$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:52
L34	0	("dummy electrode" or "dummy pixel") near3 (allow near5 light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:52
L29	13	345/87.ccls. and (dummy adj pixel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/07 13:52
S60	5	(illuminat$3 adj border) same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:22
L32	5	(illuminat$3 adj border) same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:22
L30	3	345/87.ccls. and ((dummy adj pixel) same light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/06/07 13:22

S58	0	345/30.ccls. and "dummy transistor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:21
L31	0	345/30.ccls. and "dummy transistor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:21
L26	1933	345/87.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:21
S35	483	345/92.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:20
S19	1262	345/87.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:20
S15	18	345/55.ccls. and (pixel adj matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
S13	0	345/55.ccls. and (pixel adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
S12	597	345/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
L25	684	345/92.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2005/06/07 13:20
L24	28	345/55.ccls. and (pixel adj matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
L23	0	345/55.ccls. and (pixel adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
L22	734	345/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:20
S8	1	"dummy pixel" near3 border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:16

L21	4	"dummy pixel" near3 border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:16
S6	99	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:15
L20	0	715/864.ccls. and (light near3 border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:15
L19	0	715/864.ccls. and (dummy adj pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:15
L18	181	715/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:15
L17	0	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 13:15
L16	76	"345"/$.ccls. and ((display near7 border) same (light or illuminat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 12:13
L13	30	"345"/$.ccls. and ((dummy adj pixel) same (light or illuminat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 12:13
L15	31	"348"/$.ccls. and ((dummy adj pixel) same (light or illuminat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:48
L14	4	"382"/$.ccls. and ((dummy adj pixel) same (light or illuminat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:43
S92	9	blair-richard.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39
S91	0	noesen-katherine.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39

S90	3	Canova-Francis-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39
L12	9	blair-richard.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39
L11	0	noesen-katherine.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39
L10	3	Canova-Francis-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:39
S89	0	Canova-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:38
S88	0	Canova-Francis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:38
L9	0	Canova-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:38
L8	0	Canova-Francis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 11:38
S97	0	345/55.ccls. and (dummy adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:27
S96	0	345/55.ccls. and (dummy adj pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:27
S32	0	345/55.ccls. and (pixel adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:27
S95	0	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:26

S93	0	345/55.ccls. and (pixel adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:26
S59	1	345/30.ccls. and "dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:26
S36	112	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:26
S20	440	345/92.ccls.	US-PGPUB; USPAT; DERWENT	OR	OFF	2004/12/01 12:26
S68	18	"dummy electrode" near7 (disconnect$3 or detach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S5	8	blair-richard.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S4	0	noesen-katherine.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S3	3	Canova-Francis-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S2	0	Canova-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S1	0	Canova-Francis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/01 12:25
S70	18	"dummy electrode" near7 (disconnect$3 or detach$3 or "not connected" or "not connecting")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:36
S69	4	"dummy pixel" near7 (disconnect$3 or detach$3 or "not connected" or "not connecting")	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:36

S66	4	"dummy pixel" near7 (disconnect$3 or detach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:36
S67	0	"dummy transistor" near7 (disconnect$3 or detach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:34
S65	645	"dummy" near7 (disconnect$3 or detach$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:33
S63	60	"dummy electrode" and "345"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:31
S64	6	"dummy element" and "345"/$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:13
S62	1619	"dummy electrode"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:13
S61	0	(illuminat$3 adj border) with transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:13
S40	1	(illuminat$3 adj border) with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:12
S57	0	345/55.ccls. and (dummy adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:11
S56	0	345/55.ccls. and (pixel adj border)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:10
S55	2	"dummy transistor" and "dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:09
S54	9	"dummy transistor" same display	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:09

S53	3	"dummy transistor" same border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:08
S52	391	"dummy transistor"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:07
S11	309	"dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:06
S51	21	"dummy pixel" same border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:04
S50	1	"dummy pixel" near3 border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:04
S49	88	(LCD or TFT or "liquid crystal display" or "thin film transitor") near3 border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:04
S7	76	(LCD or TFT or "liquid crystal display" or "thin film transitor") near3 border	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:04
S48	132	345/864.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:01
S47	8	blair-richard.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:01
S46	0	noesen-katherine.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:01
S45	3	Canova-Francis-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:00
S44	0	Canova-James.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:00

S43	0	Canova-Francis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/04/01 15:00
S42	4	("3968639" | "4255806" | "4743896" | "4824212").PN.	USPAT	OR	OFF	2003/11/05 11:42
S41	2	"5600344".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 11:34
S37	348	"dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 11:34
S39	2	"transparent border" with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:58
S38	2	"transparent border" near5 pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:56
S34	21	345/55.ccls. and (pixel adj matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:40
S33	0	345/55.ccls. and (border near5 matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:40
S31	630	345/55.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:40
S14	0	345/55.ccls. and (border near5 matrix)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/11/05 10:40
S30	1	"6577291".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/17 11:05
S29	2	"5784132".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/17 11:05
S21	2	"6274886".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2003/06/17 11:05

S28	15	"349"/$.ccls. and ((dummy adj pixel) and (RGB or "R-G-B" or "R G B" or (red adj green adj blue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/17 09:35
S27	0	"349"/$.ccls. and ((dummy adj pixel) near3 (RGB or "R-G-B" or "R G B" or (red adj green adj blue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/17 09:35
S26	2	"345"/$.ccls. and ((dummy adj pixel) near3 (RGB or "R-G-B" or "R G B" or (red adj green adj blue)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/17 09:34
S17	42	"345"/$.ccls. and (dummy adj pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/17 09:31
S25	8	(("345"/$.ccls. and (dummy adj pixel)) or ("349"/$.ccls. and (dummy adj pixel))) and manufact$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 15:20
S18	31	"349"/$.ccls. and (dummy adj pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 15:20
S23	21	"345"/$.ccls. and (((RGB or "R-G-B" or "R G B") near3 element) and LCD and backlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 15:03
S24	53	"345"/$.ccls. and ("160" adj (row or column))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 14:54
S22	2	"6188385".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 14:51
S16	2	(PDA or "personal digital assistant" or "palm pilot" or "handheld pc") and "dummy pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 12:00
S10	6	"dummy pixel" near3 matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/06/16 11:42
S9	0	"20020008800".URPN.	USPAT	OR	OFF	2003/06/16 11:26

RESULT LIST
Approximately **284** results found in the Worldwide database for:
dummy AND pixel in the title or abstract
(Results are sorted by date of upload in database)

1 **Electrooptic device, electronic apparatus, and method for making the electrooptic device**
Inventor: FUJITA SHIN (JP) **Applicant:** SEIKO EPSON CORP (JP)
EC: G02F1/1362D; H01L21/84; (+2) **IPC:** H01L21/66
Publication info: **US2005095735** - 2005-05-05

2 **Liquid crystal display device and inspecting method of bonding state between liquid crystal display panel and drive IC**
Inventor: SHIN CHUL-SANG (KR); KIM DEOK-NYOUNG (KR) **Applicant:**
EC: **IPC:** G02F1/1343
Publication info: **US2005099565** - 2005-05-12

3 **Solid state imaging device and method of driving the same**
Inventor: KUWAZAWA KAZUNOBU (JP) **Applicant:**
EC: **IPC:** H04N5/225
Publication info: **US2005099517** - 2005-05-12

4 **Plane switching mode liquid crystal display device and method for manufacturing the same**
Inventor: LEE JOUN H (KR) **Applicant:**
EC: G02F1/1362R **IPC:** G02F1/1343
Publication info: **US2005094081** - 2005-05-05

5 **ULTRA-HIGH RESOLUTION PIXEL ELECTRODE ARRANGEMENT STRUCTURE AND SIGNAL PROCESSING METHOD**
Inventor: HATANAKA YOSHINORI (JP); AOKI TORU (JP); (+1) **Applicant:** NAT UNIVERSITY CORP SHIZUOKA U (JP); HAMAMATSU PHOTONICS KK (JP); (+3)
EC: **IPC:** H01L27/14; H01L31/00; (+4)
Publication info: **WO2005038924** - 2005-04-28

6 **Electro-optical device and electronic apparatus**
Inventor: MURADE MASAO (JP) **Applicant:** SEIKO EPSON CORP (JP)
EC: **IPC:** G02F1/1343; G02F1/1333
Publication info: **US2005078240** - 2005-04-14

7 **Liquid crystal display device formed on glass substrate having improved efficiency**
Inventor: KIM JEONG-ROK (KR); CHOI SEUNG-KYU (KR); (+3) **Applicant:** LG PHILIPS LCD CO LTD (US)
EC: G02F1/13B4 **IPC:** G01R31/00; G02F1/13
Publication info: **US2005073335** - 2005-04-07

8 **Display panel and method for repairing the same**
Inventor: TSENG CHIANG-HUNG (TW) **Applicant:**
EC: **IPC:** G09G3/36
Publication info: **US2005068283** - 2005-03-31

9 **Liquid crystal display panel having dummy column spacer with opened portion**
Inventor: KIM JONG WOO (KR); KANG SUNG CHUN (KR); (+1) **Applicant:** LG PHILIPS LCD CO LTD (US)
EC: G02F1/1339; G02F1/1339B **IPC:** G02F1/1339
Publication info: **US2005062925** - 2005-03-24

10 **No English title available**
Inventor: **Applicant:**
EC: **IPC:** G02F1/1343; G09F9/30; (+1)
Publication info: **JP2005024605** - 2005-01-27

RESULT LIST
0 results found in the Worldwide database for:
dummy AND pixel AND light AND pass in the title or abstract
(Results are sorted by date of upload in database)

RESULT LIST
Approximately **56** results found in the Worldwide database for:
dummy AND pixel AND light in the title or abstract
(Results are sorted by date of upload in database)

1 **Electro-optical device and electronic apparatus**
Inventor: MURADE MASAO (JP) **Applicant:** SEIKO EPSON CORP (JP)
EC: **IPC:** G02F1/1343; G02F1/1333
Publication info: **US2005078240** - 2005-04-14

2 **Grid metal design for large density CMOS image sensor**
Inventor: YAUNG DUN-NIAN (TW); WUU SHOU-GWO (TW); (+1) **Applicant:**
EC: **IPC:** H04N5/335
Publication info: **US2005030403** - 2005-02-10

3 **Solid-state imaging device and method for driving the same**
Inventor: OZUMI TAKEHIKO (JP) **Applicant:**
EC: **IPC:** H01L27/00
Publication info: **US2005017154** - 2005-01-27

4 **Photoelectric device and electronic machine**
Inventor: MATSUEDA YOJIRO (JP) **Applicant:** SEIKO EPSON CORP (JP)
EC: G02F1/1341; G02F1/1343A4; (+2) **IPC:** G09G3/30
Publication info: **TW594633B** - 2004-06-21

5 **Substrate for electro-optic apparatus**
Inventor: HIRABAYASHI YUKIYA (JP) **Applicant:** SEIKO EPSON CORP (JP)
EC: **IPC:** G02F1/13
Publication info: **TW588176** - 2004-05-21

6 **Liquid crystal display device for preventing light leakage and method of fabricating the same**
Inventor: KIM KWANG MIN (KR) **Applicant:**
EC: G02F1/1362 **IPC:** G02F1/1343
Publication info: **US2005007534** - 2005-01-13

7 **Image display device**
Inventor: TAKAHASHI HIROYUKI (JP) **Applicant:**
EC: **IPC:** G09G5/00
Publication info: **US2004239667** - 2004-12-02

8 **Grid metal design for large density CMOS image sensor**
Inventor: YAUNG DUN-NIAN (TW); WUU SHOU-GWO (TW); (+1) **Applicant:** TAIWAN SEMICONDUCTOR MFG (TW)
EC: **IPC:** H01L31/0232; H01L27/148
Publication info: **US6815787** - 2004-11-09

9 **ORGANIC ELECTROLUMINESCENT DEVICE, AND MANUFACTURING METHOD OF THE SAME**
Inventor: ARAI TAKESHI; FUJIMORI SHIGEO; (+1) **Applicant:** TORAY INDUSTRIES
EC: **IPC:** H05B33/10; C23C14/24; (+3)
Publication info: **JP2004296436** - 2004-10-21

10 **METHOD FOR MANUFACTURING PIXEL SUBSTRATE AND BASE MATERIAL OF THE PIXEL SUBSTRATE**
Inventor: IZUMI TAKESHI **Applicant:** SONY CORP
EC: **IPC:** G09F9/00; G02F1/1333; (+5)
Publication info: **JP2004294948** - 2004-10-21

Searching PAJ

MENU | NEWS | HELP

Search Results : 1

Index Indication | Clear

Text Search If you want to conduct a Number Search, please click on the button to the right. Number Search

Applicant,Title of invention,Abstract — e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

dummy pixel AND

AND

light border AND

AND

AND

AND

Date of publication of application — e.g.19980401 - 19980405

-

AND

IPC — e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.

Search | Stored data

No.	Publication No.	Title
1.	05 - 129572(1993)	SOLID-STATE IMAGE SENSOR

Searching PAJ

MENU | NEWS | HELP

Search Results : 54

Index Indication | Clear

Text Search If you want to conduct a Number Search, please click on the button to the right. Number Search

Applicant,Title of invention,Abstract — e.g. computer semiconductor

If you use the AND/OR operation, please leave a SPACE between keywords.

One letter word or Stopwords are not searchable.

dummy pixel AND

AND

light illuminate OR

AND

AND

AND

Date of publication of application — e.g.19980401 - 19980405

-

AND

IPC — e.g. D01B7/04 A01C11/02

If you use the OR operation, please leave a SPACE between keywords.

Search | Stored data

No.	Publication No.	Title
1.	2005 - 033838	SOLID-STATE IMAGE PICKUP DEVICE
2.	2004 - 296436	ORGANIC ELECTROLUMINESCENT DEVICE, AND MANUFACTURING METHOD OF THE SAME
3.	2004 - 294948	METHOD FOR MANUFACTURING PIXEL SUBSTRATE AND BASE MATERIAL OF THE PIXEL SUBSTRATE
4.	2004 - 221829	IMAGE READER
5.	2004 - 184530	ELECTRO-OPTICAL DEVICE, ACTIVE MATRIX SUBSTRATE, AND ELECTRONIC APPARATUS
6.	2004 - 172861	ELECTRONIC APPARATUS CONTROLLER AND METHOD FOR CONTROLLING ELECTRONIC APPARATUS
7.	2004 - 170614	ELECTRONIC EQUIPMENT
8.	2004 - 112474	SOLID-STATE IMAGING DEVICE
9.	2004 - 013050	DISPLAY
10.	2003 - 304453	IMAGING DEVICE
11.	2003 - 288987	LIGHT EMITTING DEVICE AND ELECTRONIC DEVICE
12.	2003 - 288986	LIGHT EMITTING DEVICE AND ELECTRONIC DEVICE
13.	2003 - 218340	CCD IMAGE SENSOR
14.	2003 - 168570	DISPLAY DEVICE
15.	2003 - 150082	METHOD FOR DRIVING EL DISPLAY DEVICE AND EL DISPLAY DEVICE AND ITS MANUFACTURING METHOD AND INFORMATION DISPLAY DEVICE
16.	2003 - 107527	LIQUID CRYSTAL DISPLAY PANEL
17.	2002 - 342776	PICTURE GENERATING DEVICE AND STORAGE MEDIUM
18.	2002 - 156653	ELECTRO-OPTICAL DEVICE
19.	2002 - 156652	ELECTRO-OPTICAL DEVICE AND ITS MANUFACTURING METHOD
20.	2002 - 098823	METHOD FOR MEASURING MISALIGNMENT OF EXPOSURE POSITION DURING MANUFACTURING COLOR FILTER, AND COLOR FILTER
21.	2002 - 077735	SOLID-STATE IMAGE PICKUP ELEMENT AND IMAGE PICKUP DEVICE
22.	2001 - 358324	PICTURE READER
23.	2001 - 330892	PRINT HEAD AND PHOTOGRAPHIC PROCESSING DEVICE HAVING THE SAME
24.	2001 - 250936	SOLID-STATE IMAGE SENSING ELEMENT
25.	2001 - 188228	TRANSMISSION TYPE COLOR LIQUID CRYSTAL DISPLAY DEVICE
26.	2001 - 188227	TRANSMISSION TYPE COLOR LIQUID CRYSTAL DISPLAY DEVICE

27. 2001 - 042357 SUBSTRATE FOR LIQUID CRYSTAL DISPLAY PANEL AND PRODUCTION OF LIQUID CRYSTAL DISPLAY PANEL
28. 2001 - 024947 PHOTOELECTRIC CONVERSION CHIP, IMAGE SENSOR AND IMAGE SENSOR UNIT
29. 2000 - 356787 LIQUID CRYSTAL DISPLAY DEVICE
30. 2000 - 352714 LIQUID CRYSTAL DISPLAY DEVICE
31. 2000 - 261725 DRIVE METHOD FOR SOLID-STATE IMAGE PICKUP ELEMENT
32. 2000 - 231113 REFLECTION TYPE LIQUID CRYSTAL DISPLAY DEVICE AND ITS PRODUCTION
33. 2000 - 227589 LIQUID CRYSTAL DISPLAY DEVICE AND ITS MANUFACTURE
34. 2000 - 180125 MEASURING METHOD FOR PIXEL WIDTH OF COLOR FILTER
35. 2000 - 150854 SOLID STATE IMAGE-SENSING ELEMENT
36. 11 - 330444(1999) STRUCTURE FOR FOCUSSING AND COLOR-FILTERING RELATIVE TO SEMICONDUCTOR PHOTOELECTRIC ELEMENT AND MANUFACTURE THEREOF
37. 11 - 305725(1999) GAS ELECTRIC DISCHARGE PANEL
38. 11 - 150259(1999) SOLID-STATE IMAGE-PICKUP ELEMENT AND MANUFACTURE THEREOF
39. 11 - 109404(1999) LIQUID CRYSTAL DISPLAY DEVICE
40. 11 - 109371(1999) LIQUID CRYSTAL DISPLAY DEVICE
41. 11 - 027474(1999) DARK TIME OUTPUT CORRECTION METHOD FOR PICTURE READER AND DEVICE FOR THE SAME
42. 10 - 311988(1998) LIQUID CRYSTAL DISPLAY DEVICE AND ITS DRIVING METHOD
43. 10 - 246879(1998) LIQUID CRYSTAL DISPLAY DEVICE AND ITS ADJUSTING METHOD
44. 09 - 261543(1997) SOLID-STATE IMAGE PICKUP DEVICE
45. 09 - 138390(1997) LIQUID CRYSTAL DISPLAY DEVICE
46. 09 - 091428(1997) DEVICE FOR DISCRIMINATING DIAMETER OF WIRE SHAPED MATERIAL
47. 09 - 089762(1997) METHOD AND APPARATUS FOR DISCRIMINATION OF LINEAR MATERIAL
48. 08 - 087000(1996) DISPLAY DEVICE
49. 08 - 086999(1996) DISPLAY DEVICE
50. 07 - 239477(1995) LIQUID CRYSTAL DISPLAY ELEMENT

Terms used **dummy pixel border light illuminate**

Found **13** of **155,867**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

☐ Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 13 of 13

Relevance scale

1 A family of new algorithms for soft filling

Kenneth P. Fishkin, Brian A. Barsky

January 1984 **ACM SIGGRAPH Computer Graphics , Proceedings of the 11th annual conference on Computer graphics and interactive techniques**, Volume 18 Issue 3

Full text available: pdf(1.12 MB) Additional Information: full citation, abstract, references, citings, index terms

Soft filling algorithms change the color of an anti-aliased region, maintaining the anti-aliasing of the region. The two published algorithms for soft filling work only if the foreground region is anti-aliased against a black background. This paper presents three new algorithms. The first fills against a region consisting of any two distinct colors, and is faster than the published algorithms on a pixel-by-pixel basis for an RGB frame buffer; the second fil ...

Keywords: Convex hull, Linear algebra

2 Accelerated walkthrough of large spline models

Subodh Kumar, Dinesh Manocha, Hansong Zhang, Kenneth E. Hoff

April 1997 **Proceedings of the 1997 symposium on Interactive 3D graphics**

Full text available: pdf(1.33 MB) Additional Information: full citation, references, citings, index terms

3 Inference bear: designing interactive interfaces through before and after snapshots

Martin R. Frank, Piyawadee Noi Sukaviriya, James D. Foley

August 1995 **Proceedings of the conference on Designing interactive systems: processes, practices, methods, & techniques**

Full text available: pdf(1.08 MB) Additional Information: full citation, references, citings, index terms

4 Integrating video into an application framework

Peter Schnorf

September 1993 **Proceedings of the first ACM international conference on Multimedia**

Full text available: pdf(176.78 KB) ps(8.27 MB) Additional Information: full citation, references, citings, index terms

Keywords: application framework, data type, motion video, object-oriented

5 Columns: Risks to the public in computers and related systems
Peter G. Neumann
November 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 6

Full text available: pdf(1.25 MB) Additional Information: full citation, references

6 Specification and dialogue control of visual interaction through visual rewriting systems
P. Bottoni, M. F. Costabile, P. Mussio
November 1999 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 21 Issue 6

Full text available: pdf(886.71 KB) Additional Information: full citation, abstract, references, citings, index terms, review

Computers are increasingly being seen not only as computing tools but more so as communication tools, thus placing special emphasis on human-computer interaction (HCI). In this article, the focus is on visual HCI, where the messages exchanged between human and computer are images appearing on the computer screen, as usual in current popular user interfaces. We formalize interactive sessions of a human-computer dialogue as a structured set of legal visual sentences, i.e., as a visual languag ...

Keywords: control automaton, dialogue control, visual languages

7 Incremental computation of planar maps
M. Gangnet, J.-C. Hervé, T. Pudet, J.-M. van Thong
July 1989 **ACM SIGGRAPH Computer Graphics , Proceedings of the 16th annual conference on Computer graphics and interactive techniques**, Volume 23 Issue 3

Full text available: pdf(867.32 KB) Additional Information: full citation, abstract, references, citings, index terms

A *planar map* is a figure formed by a set of intersecting lines and curves. Such an object captures both the geometrical and the topological information implicitly defined by the data. In the context of 2D drawing it provides a new interaction paradigm, *map sketching*, for editing graphic shapes.To build a planar map, one must compute curve intersections and deduce from them the map they define. The computed topology must be consistent with the underlying geometry. Robustness of geom ...

8 Efficient visualization of physical and structural properties in crash-worthiness simulations (case study)
Sven Kuschfeldt, Thomas Ertl, Michael Holzner
October 1997 **Proceedings of the 8th conference on Visualization '97**

Full text available: pdf(592.85 KB) Publisher Site Additional Information: full citation, references, citings, index terms

9 Fast multiresolution image querying
Charles E. Jacobs, Adam Finkelstein, David H. Salesin
September 1995 **Proceedings of the 22nd annual conference on Computer graphics and interactive techniques**

Full text available: pdf(529.14 KB) ps(211.52 KB) Additional Information: full citation, references, citings, index terms

Keywords: content-based retrieval, image databases, image indexing, image metrics, query by content, query by example, similarity retrieval, sketch retrieval, wavelets

10 XML Applications: An incremental XSLT transformation processor for XML document manipulation

Lionel Villard, Nabil Layaïda
May 2002 **Proceedings of the 11th international conference on World Wide Web**

Full text available: pdf(486.95 KB) Additional Information: full citation, abstract, references, citings, index terms

In this paper, we present an incremental transformation framework called incXSLT. This framework has been experimented for the XSLT language defined at the World Wide Web Consortium. For the currently available tools, designing the XML content and the transformation sheets is an inefficient, a tedious and an error prone experience. Incremental transformation processors such as incXSLT represent a better alternative to help in the design of both the content and the transformation sheets. We belie ...

Keywords: XML, XSLT, authoring tools, incremental transformations

11 Tree visualization with tree-maps: 2-d space-filling approach

Ben Shneiderman
January 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 1

Full text available: pdf(4.57 MB) Additional Information: full citation, references, citings, index terms, review

12 Session II: wxHaskell: a portable and concise GUI library for haskell

Daan Leijen
September 2004 **Proceedings of the ACM SIGPLAN workshop on Haskell**

Full text available: pdf(179.83 KB) Additional Information: full citation, abstract, references, citings, index terms

wxHaskell is a graphical user interface (GUI) library for Haskell that is built on wxWidgets: a free industrial strength GUI library for C++ that has been ported to all major platforms, including Windows, Gtk, and MacOS X. In contrast with many other libraries, wxWidgets retains the native look-and-feel of each particular platform. We show how distinctive features of Haskell, like parametric polymorphism, higher-order functions, and first-class computations, can be used to present a concise and ...

Keywords: C++, Haskell, combinator library, graphical user interface, layout, wxWidgets

13 Multiresolution modeling and visualization of volume data based on simplicial complexes

Paolo Cignoni, Leila De Floriani, Claudio Montani, Enrico Puppo, Roberto Scopigno
October 1994 **Proceedings of the 1994 symposium on Volume visualization**

Full text available: pdf(1.59 MB) Additional Information: full citation, citings, index terms

Results 1 - 13 of 13

Terms used **dummy pixel through border light illuminate**

Found **13** of **155,867**

Sort results by: relevance

Display results: expanded form

Save results to a Binder

Search Tips

☐ Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 1 - 13 of 13

Relevance scale

1 Inference bear: designing interactive interfaces through before and after snapshots

Martin R. Frank, Piyawadee Noi Sukaviriya, James D. Foley

August 1995 **Proceedings of the conference on Designing interactive systems: processes, practices, methods, & techniques**

Full text available: pdf(1.08 MB) Additional Information:

5 Columns: Risks to the public in computers and related systems
Peter G. Neumann
November 2001 **ACM SIGSOFT Software Engineering Notes**, Volume 26 Issue 6

Full text available: pdf(1.25 MB) Additional Information: full citation, references

6 Specification and dialogue control of visual interaction through visual rewriting systems
P. Bottoni, M. F. Costabile, P. Mussio
November 1999 **ACM Transactions on Programming Languages and Systems (TOPLAS)**, Volume 21 Issue 6

Full text available: pdf(886.71 KB) Additional Information: full citation, abstract, references, citings, index terms, review

Computers are increasingly being seen not only as computing tools but more so as communication tools, thus placing special emphasis on human-computer interaction (HCI). In this article, the focus is on visual HCI, where the messages exchanged between human and computer are images appearing on the computer screen, as usual in current popular user interfaces. We formalize interactive sessions of a human-computer dialogue as a structured set of legal visual sentences, i.e., as a visual languag ...

Keywords: control automaton, dialogue control, visual languages

7 Efficient visualization of physical and structural properties in crash-worthiness simulations (case study)
Sven Kuschfeldt, Thomas Ertl, Michael Holzner
October 1997 **Proceedings of the 8th conference on Visualization '97**

Full text available: pdf(592.85 KB) Publisher Site Additional Information: full citation, references, citings, index terms

8 XML Applications: An incremental XSLT transformation processor for XML document manipulation
Lionel Villard, Nabil Layaïda
May 2002 **Proceedings of the 11th international conference on World Wide Web**

Full text available: pdf(486.95 KB) Additional Information: full citation, abstract, references, citings, index terms

In this paper, we present an incremental transformation framework called incXSLT. This framework has been experimented for the XSLT language defined at the World Wide Web Consortium. For the currently available tools, designing the XML content and the transformation sheets is an inefficient, a tedious and an error prone experience. Incremental transformation processors such as incXSLT represent a better alternative to help in the design of both the content and the transformation sheets. We belie ...

Keywords: XML, XSLT, authoring tools, incremental transformations

9 Multiresolution modeling and visualization of volume data based on simplicial complexes
Paolo Cignoni, Leila De Floriani, Claudio Montani, Enrico Puppo, Roberto Scopigno
October 1994 **Proceedings of the 1994 symposium on Volume visualization**

Full text available: pdf(1.59 MB) Additional Information: full citation, citings, index terms

10 Fast multiresolution image querying
Charles E. Jacobs, Adam Finkelstein, David H. Salesin
September 1995 **Proceedings of the 22nd annual conference on Computer graphics and**

interactive techniques

Full text available: pdf(529.14 KB) ps(211.52 KB) Additional Information: full citation, references, citings, index terms

Keywords: content-based retrieval, image databases, image indexing, image metrics, query by content, query by example, similarity retrieval, sketch retrieval, wavelets

11 Incremental computation of planar maps

M. Gangnet, J.-C. Hervé, T. Pudet, J.-M. van Thong

July 1989 **ACM SIGGRAPH Computer Graphics , Proceedings of the 16th annual conference on Computer graphics and interactive techniques**, Volume 23 Issue 3

Full text available: pdf(867.32 KB) Additional Information: full citation, abstract, references, citings, index terms

A *planar map* is a figure formed by a set of intersecting lines and curves. Such an object captures both the geometrical and the topological information implicitly defined by the data. In the context of 2D drawing it provides a new interaction paradigm, *map sketching*, for editing graphic shapes.To build a planar map, one must compute curve intersections and deduce from them the map they define. The computed topology must be consistent with the underlying geometry. Robustness of geom ...

12 Tree visualization with tree-maps: 2-d space-filling approach

Ben Shneiderman

January 1992 **ACM Transactions on Graphics (TOG)**, Volume 11 Issue 1

Full text available: pdf(4.57 MB) Additional Information: full citation, references, citings, index terms, review

13 Session II: wxHaskell: a portable and concise GUI library for haskell

Daan Leijen

September 2004 **Proceedings of the ACM SIGPLAN workshop on Haskell**

Full text available: pdf(179.83 KB) Additional Information: full citation, abstract, references, citings, index terms

wxHaskell is a graphical user interface (GUI) library for Haskell that is built on wxWidgets: a free industrial strength GUI library for C++ that has been ported to all major platforms, including Windows, Gtk, and MacOS X. In contrast with many other libraries, wxWidgets retains the native look-and-feel of each particular platform. We show how distinctive features of Haskell, like parametric polymorphism, higher-order functions, and first-class computations, can be used to present a concise and ...

Keywords: C++, Haskell, combinator library, graphical user interface, layout, wxWidgets

Results 1 - 13 of 13

Results for "(((dummy <and> pixel) <and> (light <or> illuminate))<in>metadata)"

e-mail printer friendly

Your search matched **0** of **1168854** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» View Session History

» New Search

Modify Search

(((dummy <and> pixel) <and> (light <or> illuminate))<in>metadata)

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.